	Application No.	Applicant(s)
Notice of Allowability	10/718,335	OKADA ET AL.
	Examiner	Art Unit
	John A McPherson	1756
The MAILING DATE of this communication appears All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313 1. ▼ This communication is responsive to the election of 6/19/00 2. ▼ The allowed claim(s) is/are 7-10. 3. ▼ Acknowledgment is made of a claim for foreign priority under the priority documents have the priority do	(OR REMAINS) CLOSED in this all or other appropriate communication (GHTS). This application is subject and MPEP 1308. 6. 6. def 35 U.S.C. § 119(a)-(d) or (f). The been received. The been received in Application No. cuments have been received in this communication to file a reply lient of this application. The itted. Note the attached EXAMINER is reason(s) why the oath or declared to be submitted.	pplication. If not included on will be mailed in due course. THIS to withdrawal from issue at the initiative so national stage application from the complying with the requirements. R'S AMENDMENT or NOTICE OF ration is deficient.
(a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of 		
Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the draw he header according to 37 CFR 1.121	rings in the front (not the back) of (d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 1/19/03 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Summar Paper No./Mail Da 8), 7. ☒ Examiner's Amend 8. ☒ Examiner's Statem	ate .
-	9. Other	

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

This application is in condition for allowance except for the presence of claims 1-6, 11 and 12 directed to inventions non-elected without traverse in a telephone conversation with William J. Daley, Jr. on 6/19/06. Accordingly, claims 1-6, 11 and 12 have been cancelled.

Pertinent Prior Art

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

US 2004/0051977 discloses an exposing apparatus for a microlens array comprising a micro fly-eye lens for converting a light beam from a light source into a secondary point light source, a transmittance distribution mask for adjusting the luminance of the light of the secondary point light source, and a collimator lens for converting the light of adjusted luminance into a parallel light beam and for guiding the parallel light beam, via a first microlens array which is formed in advance, to a photosensitive resin layer to be a second microlens array.

US 5,666,176 discloses a process for producing a liquid crystal display panel wherein a photomask is formed by photolithographic exposure of a photosensitive resin layer through micro-lenses, and the apertures thereof are in complete alignment with condensed light through the micro-lenses.

US 5,164,223 discloses a process for producing a light control plate comprising the steps of bringing at least one photopolymerizable compound of a photopolymerizable monomer and a photopolymerizable oligomer into contact with a transparent plastic film or sheet, thereby forming a swollen surface layer, and irradiating the swollen surface layer with light from a linear light source at a predetermined angle to cure the swollen surface layer.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance:

In a microlens exposure optical system comprising a light source, a collimator lens collimating the lights emitted from the light source, and a transparent substrate having a photosensitive resin layer formed on an intermediate layer, the lights passing through the collimator lens being imaged on the photosensitive resin layer via a first microlens array and the intermediate layer as set forth in the presently claimed invention, the prior art does not teach or suggest the system wherein the light source is a linear light source emitting lights having a uniform intensity.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Art Unit: 1756

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John A. McPherson whose telephone number is (571) 272-1386. The examiner can normally be reached on Monday through Friday, 8:00 AM to 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Huff can be reached on (571) 272-1385. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

Application/Control Number: 10/718,335

Art Unit: 1756

USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

John A. McPherson Primary Examiner Art Unit 1756 Page 5

JAM 8/2/06